CONFIDENTIAL

20 February 1985

MEMORANDUM FOR:	Information Systems Board Members	
FROM:	Executive Secretary to the Board	25 X 1
SUBJECT:	Minutes of 18 January 1985 Meeting of the Information Systems Board (U)	
l. The Inf	ormation Systems Board met on Friday.	25X1
2. or corrections o change the date (U)	asked the Board members to send any additions of the minutes to the Executive Secretary. Please on last month's minutes to read 15 January 1985.	[─] 25X1
Systems. She be computer use at on why the Agenc of our system.	and Agency representative to the briefed the Board on the future of IBM Interactive gan with background information on the changes in CIA over the past two decades, dwelling particularly chose VM/CMS and the advantages and disadvantages then discussed needed enhancements to our system evolutionary not revolutionary path for the changes. (U)	e ly
move the Agency the forces within workstation and software, outline available, compa- old systems, and Finally, he addre	briefed the Board on the Networ Workstation (NEWS) project which ODP proposes to into the next generation of computing. He discuse n the Agency pressing for change to a more standar system that will run commercially available ed the work in progress to make such a capability red the architecture and capabilities of the new a explained the schedule for the overall project. essed what ODP was trying to do to increase system sers before the 1987 goal for retrofitting the (U)	d d nd

COMPUDENTIAL Sanitized Copy Approved for Release 2011/07/22 : CIA-RDP87M00539R000700850003-6

5. A brief discussion followed in which that the DI was considering using the Delta Data 82 an interim device before the new system was available because those devices would operate without rewriting Conversation Access Method (CAM) software which gow which the mainframes and terminals communicate. He that the Board needed to think about the "life cycland system upgrades in the budget because "we will old and some new devices" simultaneously at any points.	ole in 1987 ing the verns the way in e also suggested le" of workstation always have many
asked whether or not it was possible to the vendors by sticking with one ventor in our system. fewer vendors but doubted we would have much impact vendor. In fact, he commented, we do not want to fat any one place. The goal is a system that will econtinuously, and our problem is not knowing how to	endor "end-to-end" strategy of using ^{25X1} on any major reeze our design evolve
real requirements. understand the functions which require automation, our architecture, and not respond to vague feelings a new technology. a new technology. suggested that the always drive requirements to some extent particular analysts because of the increasing availability of analytical tools. remarked that, after	t we needed to 25X1 let those drive that we can use technology will 25X1 llarly for the DI automated several false 25X1
starts, we had come to understand that communication is a continuous process and not a one shot project. that the Board needed to view "NEWS" in the same was a continuous process and not a one shot project. That the Board needed to view "NEWS" in the same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a one shot project. The same was a continuous process and not a continuous pr	He suggested ay. (C) aduct an executive ring the Board on 25X1
then adjourned the meeting. The next meeting will 1985 in Room 7E32, Headquarters, at which time the briefed by members of the Artificial Intelligence A Working Group. (U)	Board will be
Distribution 1 - Compt 1 - D/OC 1 - D/ODP 1 - D/OIS 1 - D/OS 1 - D/OCR 1 - D/NPIC 1 - D/OD&E 1 - D/ORD 1 - D/OSO 1 - C/IMS 1 - C/ASG 1 - ER	
1 - Planning Staff 2 CONFIDENTIAL	25X1